REVOCATION OF POWER OF ATTORNEY WITH NEW POWER OF ATTORNEY AND CHANGE OF CORRESPONDENCE ADDRESS

For all patent applications and patents identified in Exhibit A (attached hereto), I hereby:

- 1. Revoke all previous powers of attorney; and
- 2. Appoint the practitioners associated with Customer Number of 64508.

Please change the correspondence address for all patent applications and patents indentified in Exhibit A to the address associated with Customer Number: 64508.

I am the assignee of record of the entire interest in all patent applications and patents identified in Exhibit A. As proof, I attach Statement under 37 CFR 3.73(b).

Date: 5-21-09

Signature of Assignee of Record

Name: William M. Appling

Title: Sr. Vice President, Research &

Development

AngioDynamics, Inc.

Tele No: 518-798-1215 - Ext. 1130

Exhibit A

File No.	App No.	TITLE	DATE FILED	ISSUE DATE	Patent No.
Stevens 2	08144202	Guidable Catheter Assembly Using Coated Deflector Wire and Method of Using Same	27-Oct-93	30-May-95	5419340
STEVENS- 001	08299759	Method and Closed Tip Effect Catheter Apparatus For Use in Angiography	1-Sep-94	16-Jul-96	5536261
STEVENS- 003	08374919	Hemostasis Cannula Valve Apparatus and Method of Using Same	19-Jan-95	1-Jul-97	5643227
STEVENS- 004	08747360	Method for Making Angiographic Catheters	12-Nov-96	14-Apr-98	5738742
STEVENS- 005	08374976	Hemostasis Cannula System	19-Jan-95	10-Nov-98	5833662
STEVENS- 006	08965776	Angiographic Catheter with Unitary Body and Tip Sections and Method for Making Same From a Continous Feedstock	7-Nov-97	26-Oct-99	5972143
STEVENS- 007	08714194	Combined Rotary and Axial Reciprocating Guide Wire	16-Sep-96	27-Feb-01	6193735
STEVENS- 008	09715988	Intravascular Microcatheter with Embedded Helical Coil Reinforcement Member and Methods and Apparatus for Making Same	17-Nov-00	9-Sep-03	6616651
STEVENS- 009	10277319	Irrigation Dressing With a Tubular Dam	22-Oct-02	1-Nov-05	6960181
STIEVENS-	10075053	Reinforced Gatheter Device, Catheter Stock, and Method and Apparatus for Making Same	13-Feb-02		